

TBCR SPECIALIST SOLUTIONS

Diesel Injection Systems

Innovative, compact and professional solutions for every workshop to test & service Diesel Injection Systems

CRDi CRp EUi EUp HEUi GDi*

Special Function

DGS

TBCR

Carbon Zapp's Revolutionary TBCr Simulator provides the capability for every Conventional Test Bench out in the market to renovate and test All Makes and Types of CRDi – CRp - EUi - EUp -HEUi systems.






Regional Distributor

Premo International Pte Ltd - 39B Jalan Pemimpin #04-00 Prime Industrial Building Singapore 577184 Contact No: +65 6354 5255 Fax No: +65 6354 5755 Email: premo@premo.com.sg Website: www.premo.com.sg

CRDi CRp EUi EUp HEUi GDi*

Special Function

DGS 🖤





Regional Distributor

Premo International Pte Ltd - 39B Jalan Pemimpin #04-00 Prime Industrial Building Singapore 577184 Contact No: +65 6354 5255 Fax No: +65 6354 5755 Email: premo@premo.com.sg Website: www.premo.com.sg

CRDi CRp EUi EUp HEUi GDi

TBCR

Works with every Conventional TestBench in the Market Controls all Types and Makes of Injectors & Pumps.

Includes OEM Database and Test Plans

Electronic Measurement and Coding for Conventional Test bench

Connects to any Cambox. Automatic function with complete database and test plans (Coding*) with the Hartridge HK-1400A Cambox powered by Carbon Zapp

High Pressure Testing up to 2800Bar (EU6) with BCR-Kit (optional)

Controls NEW Generation CRI3-25 and CRI3-27 injectors with NCC and VCC technology

EU5 and EU6 systems testing [Denso I-Art (6-pin), VDO etc...]

Injector Coding VDO IIC, Delphi C2i/C3i, Bosch IMA/ISA and Denso QR

VDO CR injectors (EU5) testing only with approved Energy Control by **VDO**

4 CRi/CRiN solenoid or piezo and up to 2 CRiN 4.2 injectors

Nozzle reaction time measurement for all systems via o-RSP sensor

Actuator Valve measurement via RSP/BIP sensor

All Makes/Types of CR pump. Special Applications CP4/ CAT/ CB18/ CB28/ CP2 etc...

Controls all Types and Makes of Injectors & Pumps. Includes OEM Database and Test Plans

Connects to Carbon Zapp's HEUI-KIT.M2 solution for testing up to 4 HEUI's

Fully Automatic and fast testing phase through a 10" Touchscreen HMI with AZO software

CRDi Piezo Stack Regeneration function

Blue Limits Diagnosis for Diesel Specialists

Dynamic Electronic Mass (BK) Measurement (CRDi, HEUI, EUI/EUP)

Static Electronic Mass (DFAP) Measurement (CRp) SPAR: Piezo Stack Filler after repair & re-Assembly

(optional)

Internal cooling system (No water connection needed) Emergency Safety Stop function

Compact, Lightweight and Portable Unit

The Advanced Test Bench simulator that renews every Conventional Bench in the market today. Coding made easy and affordable for Every Diesel Specialist.



View CZ **TBCR (Injector)** Tutorial Video







Regional Distributor

Premo International Pte Ltd - 39B Jalan Pemimpin #04-00 Prime Industrial Building Singapore 577184 Contact No: +65 6354 5255 Fax No: +65 6354 5755 Email: premo@premo.com.sg Website: www.premo.com.sg

DGS 🖤



BCR-KIT

Test bench Common Rail Kit. The unique, compact and Universal solution for every Conventional Test Bench in the market to operate with the latest technology CR injectors, HEUI Injectors, GDi injectors and CR pumps.

Easy Clamp-on for 4 CRi injectors / 4 CRiN / 4 GDi / 4 HEUi (17-19-21-24mm) or 1 CRp

Conventional Testbench base bolt-on feature

Clear protective hood with safety switch

High Pressure Rail - 2800Bar, HP pressure regulator & sensor

4 x HP flexible hoses 3000Bar with 90-degree swivel & accumulator $% \left({{\left| {{{\rm{B}}_{\rm{s}}} \right|}} \right)$

 $1\,\mathrm{x}$ HP flexible hose 3000Bar with 90-degree swivel & accumulator for CR pump

4 x Led illuminated adjustable Spray Chambers

Connects to any CRDi Simulator. Recommended for TBCR operation





Regional Distributor

Premo International Pte Ltd - 39B Jalan Pemimpin #04-00 Prime Industrial Building Singapore 577184 Contact No: +65 6354 5255 Fax No: +65 6354 5755 Email: premo@premo.com.sg Website: www.premo.com.sg

CRDi CRp EUi EUp HEUi GDi



CZ Technologies

Tests Performed

R2LC

Electrical actuator test for k Ω/μ F, Ω/μ H CFL

Check For internal and external Leaks

NLT

High Pressure Nozzle Leakage

LKT

Static Back Leakage (Overflow) measurement

aNOP Automatic Nozzle Opening Pressure

iVM (FL, PL, EM, LL, PI)

Injector Volume Measurements (full-load, part-load, emissions, low-load, pre/ post-injection.)

iVM-aDFi

Injector Volume Measurement Performance Ramp (multiple testpoints slope / different Pressure points)

RSP Injector Nozzle Response Time

BIP [EUI / EUP systems] Injector / Pump Control Valve Response Time for Unit Injection Systems

SPR

Dynamic Spray Test performed in all testing conditions up to 2800Bar

Extra Tests

High pressure Control Valve operation (DRV, IMV, VCV, PCV, etc...) High Pressure Sensor reaction, High Pressure relief safety valve operation CR Pump flow limiter valve operation (ZME, IMV, SCV.)

MIM

Multiple Injection Metering (up to 8 fully programmable delay and overlap times)

International Pte Ltd

Regional Distributor

Premo International Pte Ltd - 39B Jalan Pemimpin #04-00 Prime Industrial Building Singapore 577184 Contact No: +65 6354 5255 Fax No: +65 6354 5755 Email: premo@premo.com.sg Website: www.premo.com.sg

Features

AZO Software

Advanced Android based HMI/PC, Wi-Fi printing, sharing, syncing, software/ hardware & database updating, via USB or Wi-Fi, Real-time Oscilloscope and CSV data export

Reports

Easy fail-track color report for each component tested. Single-page Quick report or Multi-page Analytic reporting

aMACC Flushing / Cleaning function

Automatic chemical treatment and flushing of the injector before testing under high pressure and using a specially formulated detergent

RSP / BIP

Response Sensor (RSP) adaptable to all Injector Nozzles

Response Sensor (BIP) adaptable to all Control Valves [EUI/EUP].

Precise measurement of Control Valve

& Nozzle reaction time to easily diagnose a slow acting injector, a retarded injection event, poor engine performance and emissions issues." CRDi CRp EUi EUp HEUi GDi



2. DFAP

DGS 🖤

Electronic Measurement

 Dynamic Electronic Mass Measuring Sensor (BK). Ramp function capable for aDFI function, Injector Coding Capable, Acc:0.2%FS, repeatability:
0.05%. Fast and Accurate Measurement with Coriolis technology

2. Static Electronic Mass Measuring Sensor (DFAP) Acc: 0.6%FS, Accurate and Repeatable Measurement with Differential Absolute Pressure Technology



Regional Distributor

Premo International Pte Ltd - 39B Jalan Pemimpin #04-00 Prime Industrial Building Singapore 577184 Contact No: +65 6354 5255 Fax No: +65 6354 5755 Email: premo@premo.com.sg Website: <u>www.premo.com.sg</u>